REFERENCES:-

Amit Kumar Dutta, Swarup Kumar Maji, Divesh N. Srivastava, AnupMondal, Papu Biswas, Parimal Paul, BibhutoshAdhikary, (2012), Peroxidase-like activity and amperometric sensing of hydrogen peroxide by Fe_2O_3 and Prussian Blue-modified Fe_2O_3 nanoparticles, Journal of Molecular Catalysis A: Chemical, 360,71–77.

Ang, J. Q., and Li, S. F. Y., (2012), Novel sensor for simultaneous determination of K+ and Na+ using Prussian blue pencil graphite electrode, Sensors and Actuators B: Chemical, 173, 914–918.

Baoqi Wang, Yu Han, Xiao Wang, NaoufalBahlawane, Hongge Pan, Mi Yan and Yinzhu Jiang (2018), Prussian Blue Analogs for Rechargeable Batteries, iScience, 3,110–133.

Bie, X., Kubota, K., Hosaka, T., Chihara, K., and Komaba, S. (2017), A novel K-ion battery: hexacyanoferrate(II)/graphite cell, Journal of Materials Chemistry A, 5(9),4325–4330.

Chenglin Zhang, Yang Xu, Min Zhou, Liying Liang, Huishuang Dong, Minghong Wu, Yi Yang, and Yong Lei (2016), Potassium Prussian Blue Nanoparticles: A Low-Cost Cathode Material for Potassium-Ion Batteries, Advanced Functional Materials, 27(4),1604307.

C.Vincent, Y.Barré, T.Vincent , J.-M.Taulemesse , M.Robitzer and E.Guibal , (2015), Chitin-Prussian blue sponges for Cs(I) recovery: From synthesis to application in the treatment of accidental dumping of metal-bearing solutions, Journal of Hazardous Materials, 287,171-179.

Denise TofanelloGimenes and Edson Nossol, (2018), Effect of light source and applied potential in the electrochemical synthesis of Prussian blue on carbon nanotubes, Electrochimica Acta,251,513-521.

Elisabeth S. Knowles, Carissa H. Li, Matthieu F. Dumont, Marcus K. Peprah, Matthew J. Andrus, Daniel R. Talham, Mark W. Meisel, (2013), Photoinduced perturbations of the magnetic superexchange in core@shell Prussian blue analogues, Polyhedron, 66, 153–156.

Feng Ma, Qing Li, Tanyuan Wang, Hanguang Zhang and Gang Wu, (2017), Energy storage materials derived from Prussian blue analogues, Science Bulletin, 62,358-368.

Guanglei Fu, Wei Liu , Yanyan Li, YushenJin, Lingdong Jiang , Xiaolong Liang, Shanshan Feng, Zhifei Dai, (2014) , Magnetic Prussian Blue Nanoparticles for Targeted Photothermal Therapy under Magnetic Resonance Imaging Guidance, Bioconjugate Chem., 25 (9), pp 1655–1663.

Guan-Ru Chen, Yin-Ru Chang, Xiang Liu, Tohru Kawamoto, Hisashi Tanaka, DurgaParajuli, Man-Li Chen, Yu-Kuo Lo, Zhongfang Lei and Duu-Jong Lee, (2015), Prussian blue non-woven filter for cesium removal from drinking water, Separation and Purification Technology, 153,37–42.

Guo, L., Mo, R., Shi, W., Huang, Y., Leong, Z. Y., Ding, M., Chen, F. and Yang, H. Y. (2017), A Prussian blue anode for high performance electrochemical deionization promoted by the faradaic mechanism, Nanoscale, 9,13305-13312.

Guo-Zhi Deng , Liang-Xuan Zhong, Ya-Qiu Sun, Zhong-Yi Liu, Qian Wang, Dong-Zhao Gao, Guo-YingZhang, Yan-Yan Xu (2018), Synthesis and Magnetic Behavior of Prussian Blue Analogues Mn3[Fe(CN)6]2·12H2O Porous Nanoparticles, Journal of Solid State Chemistry, 268,175-181.

Grandjean, F., Samain, L., and Long, G. J. (2016), Characterization and utilization of Prussian blue and its pigments, Dalton Transactions, 45(45),18018–18044

Hongjun Yang, Haiyan Li, JialiZhai, Lei Sun, Yan Zhao, Hongwen Yu, (2014), Magnetic prussian blue/graphene oxide nanocomposites caged in calcium alginate microbeads for elimination of cesium ions from water and soil, Chemical Engineering Journal, 246, 10-19.

HeeJinMaeng , Dae-Han kim, Nam-Woon Kim, Hyun Ruh, Dong Kyu Lee ,Hyunung Yu, (2018) , Synthesis of spherical Prussian blue with high surface area using acid etching, Current Applied Physics ,18,S21-S27.

HirakenduBasu, SudeshnaSaha , MehzabinVivek Pimple and Rakesh Kumar Singhal, (2018) , Graphene-prussian blue nanocomposite impregnated in alginate for efficient removal of cesium from aquatic environment, Journal of Environmental Chemical Engineering, 6, 4399- 4407.

Hu M, Furukawa S, Ohtani R et al., (2012), Synthesis of Prussian blue nanoparticles with a hollow interior by controlled chemical etching, Angew. Chem. Int. Ed. Engl. , 51(4), 984–988.

J. Cravillon, R. Nayuk, S. Springer, A. Feldhoff, K. Huber and M. Wiebcke, (2011) ,ControllingZeoliticImidazolate Framework Nano- and Microcrystal Formation: Insight into Crystal Growth by Time-Resolved In Situ Static Light Scattering, Chem. Mater., 23, 2130–2141.

Kowalska, M., Tian, F., Smehilova, M., Galuszka, P., Frébort, I., Napier, R., and Dale, N., (2011), Prussian Blue acts as a mediator in a reagentlesscytokinin biosensor, AnalyticaChimica Acta, 701(2),218–223.

Kumar, A., Kanagare, A. B., Banerjee, S., Kumar, P., Kumar, M., Jagannath, and Sudarsan, V. (2018), Synthesis of cobalt hexacyanoferrate nanoparticles and its hydrogen storage properties, International Journal of Hydrogen Energy, 43(16), 7998–8006.

Kun-Yi Andrew Lin and Bo-Jau Chen, (2017), Prussian blue analogue derived magnetic carbon/cobalt/iron nanocomposite as an efficient and recyclable catalyst for activation of peroxymonosulfate, Chemosphere, 166,146-156.

L. Doumic, G. Salierno, M. Cassanello, P. Haure, M. Ayude, (2015), Efficient removal of Orange G using Prussian Blue nanoparticles supported over alumina, Catalysis Today, 240, 67–72.

Li-Ping Wang, Peng-Fei Wang, Tai-Shan Wang,Ya-XiaYin, Yu-GuoGuo and Chun-Ru Wang, (2017), Prussian blue nanocubes as cathode materials for aqueous Na-Zn hybrid batteries, Journal of Power Sources,355,18-22.

Li, J., Shen, W. T., Long, Q., Qin, Y. H., & Dai, Y. D. , (2015), Carbon Nanotube-Prussian Blue Spongiform Adsorbent for Selective Capture of Cesium and Strontium, Applied Mechanics and Materials, 799-800,3–7.

Magdalena Fitta, WojciechSas and Tomasz Korzeniak, (2018) , Tunable critical temperature and magnetocaloric effect in ternary Prussian blue analogue, Journal of Magnetism and Magnetic Materials ,465, 640-645.

Mao-Sung Wu, Li-JyunLyu, Jhih-HaoSyu., (2015), Copper and nickel hexacyanoferrate nanostructures with graphene-coated stainless steel sheets for electrochemical supercapacitors, Journal of Power Sources, 297,75–82.

Marcus K. Peprah, Derrick VanGennep, Pedro A. Quintero, Oliva N. Risset, Tatiana V. Brinzari, Carissa H. Li, Matthieu F. Dumont, Jian-sheng Xia, James J. Hamlin, Daniel R. Talham and Mark W. Meisel (2017), Pressure-tuning of the photomagnetic response of heterostructured CoFe@CrCr-PBAcore@shell nanoparticles, Polyhedron, 123, 323–327.

Marcus K. Peprah, Carissa H. Li, Daniel R. Talham and Mark W. Meisel, (2013), Effect of pressure on the magnetic properties of LiCuFe and LiCuFe@LiNiCr Prussian blue analogues, Polyhedron, 66, 264–267.

Matthew J. Andrus, Yitzi M. Calm, Elisabeth S. Knowles, Matthieu F. Dumont, Khalil A. Abboud, Mark W. Meisel and Daniel R. Talham, (2013), Influence of particle size on the phase behavior associated with the thermal spin transition of the Prussian blue analogue K0.4Co1.3[Fe(CN)6]·4.4H2O, Polyhedron, 64,289–293.

Milan Gautam, KishworPoudel,ChulSoonYong and Jong Oh Kim; (2018), Prussian blue nanoparticles: Synthesis, surface modification, and application in cancer treatment, International Journal ofPharmaceutics,549,31-49.

Mukherjee S, Rao BR, Sreedhar B, Paik P and Patra CR. (2015), Copper Prussian blue analogue: investigation into multifunctional activities for biomedical applications, Chem. Commun. (Camb.) , 51(34), 7325–7328.

Nandimalla Vishnu and AnnamalaiSenthilKumar , (2017) , Development of Prussian Blue and $Fe(bpy)_3^{2+}$ hybrid modified pencil graphite electrodes utilizing its intrinsic iron for electroanalytical applications, Journal of ElectroanalyticalChemistry,786,145-153.

Patra, C. R., (2016), Prussian blue nanoparticles and their analogues for application to cancer theranostics, Nanomedicine, 11(6), 569–572.

P.C.Pandey and DigvijayPanday, (2016), Tetrahydrofuran and hydrogen peroxide mediated conversion of potassium hexacyanoferrate into Prussian blue nanoparticles: Application to hydrogen peroxide sensing, Electrochimica Acta, 190,758-765.

Peng Xue, Karis K.Y.Cheong,YafengWu and Yuejun Kang , (2015), An in-vitro study of enzyme-responsive Prussian blue nanoparticles for combined tumor chemotherapy and photothermal therapy, Colloids and Surfaces B: Biointerfaces, 125, 277–283.

Pengqi Yang, Jingmeng Peng, Zhenyu Chu, Danfeng Jiang and WanqinJin, (2017) , Facile synthesis of Prussian blue nanocubes/silver nanowires network as a water-based ink for the direct screen-printed flexible biosensor chips, Biosensors and Bioelectronics, 92, 709-717.

Praveen K. Thallapally, RadhaKishanMotkuri, Carlos A. Fernandez, B. Peter McGrail, and Ghorishi S. Behrooz (2010), Prussian Blue Analogues for CO2and SO2Capture and Separation Applications, Inorganic Chemistry, 49(11),4909–4915.

Prem.C.Pandey, Shwarnima Singh and Alain Walcarius, (2018), Palladium-Prussian blue nanoparticles; as homogeneous and heterogeneous electrocatalysts, Journal of ElectroanalyticalChemistry,823,747-754.

Qian, J., Ma, D., Xu, Z., Li, D., and Wang, J. (2018), Electrochromic properties of hydrothermally grown Prussian blue film and device, Solar Energy Materials and Solar Cells, 177, 9–14.

Roy X, Hui JK, Rabnawaz M, Liu G and MacLachlan MJ. (2011), Prussian blue nanocontainers: selectively permeable hollow metal-organic capsules from block ionomer emulsion-induced assembly, J. Am. Chem.Soc., 133(22),8420–8423.

Salazar P, Martín M, O'Neill RD , Lorenzo-Luis P, Roche R and González-Mora JL (2014), Prussian Blue and Analogues: Biosensing Applications in Health Care, Advanced Biomaterials and Biodevices, 12,423–450.

ShaopeiJia, Jian bingZang, Wei Li, Pengfei Tian, Shuyu Zhou, H.Cai, Xuequing Tian and Yanhui Wang,(2018), A novel synthesis of Prussian blue nanocubes/biomass-derived nitrogen-doped porous carbon composite as a high-efficiency oxygen reduction reaction catalyst, Electrochimica Acta, 289 , 56-64.

Shikui Wu, Xiaoping Shen, Hu Zhou, Guoxing Zhu, Rongyan Wang, Zhenyuan Ji, Kangmin Chen, Chaojun Chen (2016). Morphological synthesis of Prussian blue analogue $Zn_3[Fe(CN)_6]_2 \cdot xH_2O$ micro-/nanocrystals and their excellent adsorption performance toward methylene blue. Journal of Colloid and Interface Science, 464, 191–197.

ShuyueGuo, Yanling Liang, Simon Tricard, Ning Wang , Lei Feng , Sifa He ,Peizhu Zheng, Jihua Zhao and Jian Fan , (2018) , Effect of cesium ion on the synthesis and catalytic properties with FeCo Prussian blue analogue ,Chemical PhysicsLetters,710,180-187.

Srinivasan Harish, KrishnamoorthySilambarasan, GopiKalaiyarasan, AlamVenugopal Narendra Kumar and James Joseph, (2016), Nanostructured porous cobalt oxide synthesis from $Co_3[Co(CN)_6]_2$ and its possible applications in Lithium battery, Materials Letters, 165, 115–118.

Stefano Cinti, Roberto Cusenza, Danila Moscone , FabianaArduini , (2018) ,Paper-based synthesis of Prussian Blue Nanoparticles for the development of whole blood glucose electrochemical biosensor, Talanta,187, 59-64.

VirgileTrannoy, E´milieDelahaye, Giulia Fornasieri, Patricia Beaunier, Anne Bleuzen , (2014), Using Prussian blue analogue nanoparticles confined into ordered mesoporous silica monoliths as precursors of oxides, ComptesRendusChimie, 17(6),512–520.

WeiweiQiu, Qionghua Zhu, Fei Gao, Feng Gao, JiafuHuang,Yutian Pan and Qingxiang Wang, (2017), Graphene oxide directed in-situ synthesis of Prussian blue for non-enzymatic sensing of hydrogen peroxide released from macrophages, Materials Science and Engineering: C ,72,692-700.

Xiao-Hang Ma, Wei Jia, Jiao Wang, Jia-Hao Zhou, Yao-Dong Wu, Yi-Yong Wei, Zhen-Fa Zi and Jian- Ming Dai (2019), Synthesis of copper hexacyanoferrate nanoflake as a cathode for sodium-ion batteries, Ceramics International,45,740-746.

XinTuo, Bingrui Li, Changlian Chen, Zhiliang Huang, Huabo Huang, Liang Li and Xianghua Yu, (2016), Facile assembly of polypyrrole/Prussian blue aerogels for hydrogen peroxide reduction, Synthetic Metals, 213,73-77.

X.H. Yan, T.S. Zhao, L. An, G. Zhao, L. Shi. (2016), A direct methanol–hydrogen peroxide fuel cell with a Prussian Blue cathode, International Journal of Hydrogen Energy, 41(9), 5135–5140.

Xuming Zhuang, Lanqun Mao and Yuliang Li , (2017), In situ synthesis of a Prussian blue nanoparticles/graphdiyne oxide nanocomposite with high stability and electrocatalytic activity, Electrochemistry Communications, 83,96-101.

Xu, Y., Zheng, S., Tang, H., Guo, X., Xue, H., and Pang, H. (2017), Prussian blue and its derivatives as electrode materials for electrochemical energy storage, Energy Storage Materials, 9,11–30

Yan Ding, Bangwei Deng, Hao Wang, Xiang Li, Tao Chen, Xinxiu Yan, Qi Wan, Meizhen Qu and Gongchang Peng; (2019), Improved electrochemical performances of $LiNi_{0.6}Co_{0.2}Mn_{0.2}O_2$cathode material by reducing lithium residues with the coating of Prussian blue, J. Alloys and Comp. 774,451-460.

Yuxia Xu, Shasha Zheng, Hanfei Tang, XiaotianGuo, HuaiguoXue and Huan Pang, (2017), Prussian blue and its derivatives as electrode materials for electrochemical energy storage, Energy Storage Materials, 9,11-30.

Z. Liu, G. Pulletikurthi and F. Endres (2016), A Prussian blue/zinc secondary battery with a bio-ionic liquid–water mixture as electrolyte, ACS Appl. Mater. Interfaces, 8, 12158–12164.

Zonghua Wang, Guoyu Shi, Jianfei Xia Yanzhi Xia, Feifei Zhang, Lin Xia, Daimin Song, Jingquan Liu, Yanhui Li, Linhua Xia and Manuel E. Brito, (2014), Facile preparation of a Pt/Prussian blue/graphene composite and its application as an enhanced catalyst for methanol oxidation, Electrochimica Acta, 121, 245–252.